

## MTHONJANENI MUNICIPALITY

### REQUEST FOR QUOTATIONS


QUOTATION NUMBER	ENQUIRIES	QUANTITY	DESCRIPTION
M034 – 2020/21	Mr NW Zikhali 035-450 2082 Ext. 248	N/A	Upgrading of Landfill site access road

1. Bids are hereby invited for provision of the above goods and services
2. Relevant specifications with Declaration/ MBD forms are obtained from the Municipal SCM office in Mthonjaneni Municipality and official website being [www.mthonjaneni.org.za](http://www.mthonjaneni.org.za).
3. Enquiries relating to Quotation Documents must be directed to the SCM Manager, Mr BD Mlondo on 076 434 8952 / 035-450 2082 Ext. 253
4. Only bidders registered with Central Suppliers Database (CSD) and Mthonjaneni Municipality's database will be considered
5. There will be a compulsory site briefing on Monday, 28 June 2021 at 11:00 in Melmoth Town Hall (21 Reinhold Street, Melmoth, 3835). Bidders must observe Covid 19 protocol and regulations.
6. Completed quotations with the relevant attachments in a sealed envelope and endorsed with the bid number must be deposited in the **quotations box in SCM office, 21 Reinhold Street, Melmoth, 3835** on or before **11H00 on Thursday, 01 July 2021**.
7. No Telephonic, facsimile, electronic and late quotations will be accepted. Mthonjaneni Municipality will not accept any responsibility for the delivering of a quote by a courier services or any other means that are described on or before the closing date and time of request to quote.

***Council reserves the right not to accept the lowest or any tender.***

.....  


**PP Sibiya - Municipal Manager**



# UMASIPALA MTHONJANENI MUNICIPALITY

## MUNISIPALITEIT

Our Ref / Ons Verw / Reference/ M034 – 2020/21

Your Ref / U Verw / Reference/

✉ 11  
MELMOTH  
3835

☎ (035) 450 2082  
Fax: (035) 450 2056

### RFQ NUMBER: M034 – 2020/21, UPGRADING OF LANDFILL SITE ACCESS ROAD

Quotes are hereby requested for the upgrading of landfill site access road as per the specification below:

#### 1. Specification & bills of quantities

The detailed bills of quantities will be attached to the bid document for the following:

Excavations 200mm ground level and preparation of the subgrade
Compaction of the sub-base using bomac roller 95 %ModAASHTO
Supply and laying of damp proof mambrane
Supply and lay reinforcement (wire mash) for concrete slabs.
Supply concrete and casting of 100mm thick V-Drains 25Mpa
Supply concrete and casting of 200mm concrete 30 Mpa slab 5m x5m panel with expansion joints per panel and vibrator must be used to remove air bubbles on concrete.
Concrete finish should have resistance to tyre skid and approved curing compound should be used to all concrete structures.
Supply and installation of retaining blocks 900mm depth x 14.1m length.

#### 2. Project Owner/ Manager

The project owner is the Director: Technical Services

#### 3. Company Credentials

CIDB 1CE

  
PP Sibiyi  
Municipal Manager

